

Technical Data Sheet

Product Number G2-9524-5
 Product Name HELIOCOLOR-W GELB 155
 Color-Index PY 155

Issue Date 03.06.2024

Composition

Pigment content [%] 30,000
 solid content [%] 99,327
 plasticiser [%] 67,000
 viscosity [s]

Specification

EP07

Specification	min. Level	max. Level	Plan Level	Text	Test method
Standard lot no.				L24240095	
STD-BATCH delta L	-0,8000	0,8000			PM-0020
STD-BATCH delta a	-0,8000	0,8000			PM-0020
STD-BATCH delta b	-0,8000	0,8000			PM-0020
STD-BATCH delta E		1,0000			PM-0020
STD-BATCH delta CS	97,5000	102,5000			PM-0020

Fastnesses of the basic pigments in the pigment preparation

Lightfastness (Full shade / Reduction) 8 / 7
 Wether Fastness (Full shade / Reduction) 4-5 / 4
 Alkali Resistance 5
 Acid Resistance 5
 Temperature Resistance [°C] 200

Tariff of duties no.

32129000

Origin of goods

Germany

Inventory

EC-No	Yes
TSCA-USA_active substances	Yes
AICS-Australien	Yes
DSL-Kanada	Yes
PICCS-Philippinen	Yes
MITI/ENCS-Japan	Yes
ECL-Korea	No
TCSI-Taiwan	Yes
NZIOC-New Zealand	Yes
IECSC-China	Yes
Schweiz (EC-No/EINECS)	Yes

Technical Data Sheet

Product Number	G2-9524-5		
Product Name	HELIOCOLOR-W GELB 155		
Color-Index	PY 155	Issue Date	03.06.2024

Important Notice

Always test the preparation for compatibility and suitability in the intended application system.

Suitable pigments should be specifically selected for each application system.

Colour index data refers to the basic pigment form.

Values provided on this data sheet are typical and may vary as the products are standardised according to colour strength.

The data provided herein is based on our current knowledge but does not guarantee any particular property.

It is the responsibility of the end user to ensure that products utilising these materials meet and comply with all relevant laws and regulations.

Stir well before use!

Close the container after use!